

Confined Space Safety Assessment



SECTION 1: Information						
Confined Space ID:	Cage Washer		Developed By:	Tighe & Bond		
Asset ID:	CSSA-33		Origin Date:	July 2019		
Building:	Vivarium		Revision #	0		
Entry Location:	Front or Rear Door		Revision Date:	-		
Entry Purpose:	Repair and Maintenance					
SECTION 2: Confined Space Determination						
If needing to enter an enclosed space, indicate which of the following apply:					Yes	No
1. Is the space large enough and so configured that you can bodily enter and perform work?					X	
2. Does the space have limited or restricted means for entry or exit? (Would it be difficult to exit the space through a standard door, ramp, or OSHA-compliant stairs?)						X
3. Is the space intended for continuous employee occupancy? (Is the space equipped with HVAC, desk, phone, lighting, or other typical comforts of continuous occupancy)						X
<p style="text-align: center;"><i>If you have checked <u>ANY</u> of the highlighted boxes, you <u>DO NOT</u> have a confined space. Otherwise, you have a Confined Space.</i></p>						
Does this space meet the definition of a Confined Space?					No	
SECTION 3: Assessment of Atmospheric Hazards						
Atmospheric Hazard	Actual or Potential Hazard?		Can it be Eliminated?		Means to Eliminate Atmospheric Hazard	
	Y	N	Y	N		
Oxygen Deficiency		X				
Flammable Gas or Vapor		X				
H ₂ S (Hydrogen sulfide)		X				
CO (Carbon Monoxide)		X				
Other Toxic Gas (Specify below):						
SECTION 4: Assessment of Serious Safety Hazards						
<i>Hazards which are immediately dangerous to life or health or would impair your ability to perform a self-rescue</i>						
Serious Safety Hazards	Actual or Potential Hazard?		Serious Safety Hazards	Actual or Potential Hazard?		
	Y	N		Y	N	
Engulfment Hazard		X	Other Serious Safety Hazard	X		
Trapping Hazard	X	X	Moving Parts or Agitator	X		
Converging walls		X	Steam or Extreme heat/cold	X		
Tapered floor		X	Shock or Electrocution		X	
Sloping floor		X	Other (Specify):			
Means to Eliminate Engulfment and Other Serious Safety Hazards			Follow Hazardous Energy Isolation (Lockout/Tag-out) Procedures for equipment listed above. Allow to cool prior to entry.			
Means to Eliminate Trapping Hazards			Follow Hazardous Energy Isolation (Lockout/Tag-out) Procedures for equipment listed above to prevent trapping inside.			
<p style="text-align: center;"><i>If you have <u>ONLY</u> checked shaded boxes in Section 3 and Section 4, you do not have a permit required confined space. Stop completing this form, and you may enter without a permit. Otherwise, continue completing this form.</i></p>						
Does this space meet the criteria for a non-Permit Confined Space?					NA	

Confined Space Safety Assessment



SECTION 5: Assessment of Other Safety Hazards

Other Safety Hazards	Actual or Potential Hazard?		Can it be Eliminated?		Means to Eliminate Safety Hazard
	Y	N	Y	N	
Eye / Skin Hazard	X		X		Allow vessel to cool below 80° F prior to entry.
Mechanical Hazard		X			
Heat Stress	X		X		Allow vessel to cool below 80° F prior to entry. Introduce forced air ventilation, if necessary.
Hot Surfaces	X		X		Allow vessel to cool below 80° F prior to entry.
Space Configuration		X			
Egress / Access	X				Follow Hazardous Energy Isolation (Lockout/Tag-out) Procedures for equipment listed above to prevent trapping inside.
Slippery Surfaces		X			
Elevated Work (Falls)		X			
Other (Specify below):		X			

SECTION 6: Entry Classification

Reclassification Assessment	Yes	No
1. Is there an actual or potential atmospheric hazard (Section 3) – Even if controlled?		X
2. Can all Serious Safety Hazards (Section 4) be eliminated without entry?	X	
3. Can all Other Safety Hazards (Section 5) be eliminated without entry?	X	
<i>If you have checked <u>ONLY</u> shaded boxes, you can reclassify the space as a non-permit required confined space. Stop completing this form, and you may enter without a permit.</i>		
Can this space be reclassified to a non-Permit Confined Space?	NA	
Permit Required Confined Space?	NA	
<i>Should any planned or unplanned activities or hazards occur which are not listed above, such as welding, cutting, chemical usage, etc. would require a reassessment of the of the space prior to entry.</i>		

SECTION 7: Photo(s)